# **AME-Clamp**

# **Heavy Duty Tubing and Hose Closure**



The AME-Clamp is a uniquely designed closure for tubing or hose that requires higher clamp pressures. Can be utilized with a variety of tubing and hose sizes. Quickly installed with a positive swingaway locking screw.

# **AME-Clamp General Specifications**

# Recommended tubing and hose materials


- Silicone
- Amepreme
- C-Flex
- PVC

#### **Material: Polysulfone**

- Autoclavable up to 30 cycles
- Gamma Radiate up to 50 kilograys
- FDA compliant material

# Recommended tubing and hose range

- Unreinforced tubing from .090 to .190 wall thickness
- Reinforced braided hose from .090 to .180 wall thickness



#### **BIOPHARMACEUTICAL PRODUCTS**

Sanitary, Reusable, Lightweight, Heavy Duty Closure Systems

# **Features/Benefits:**

#### Sanitary

Smooth contours provide cleanability. Clamp may be autoclaved or gamma irradiated. It is also resistant to most chemicals and can be completely disassembled without the use of tools.

#### Reusable

Due to unique durability characteristics, the AME-Clamp may be continually reused.

# Lightweight

The AME-Clamp is lightweight as well as offering durability, high-strength, and compatibility with online applications

# Heavy Duty

High-strength polymer technology with a unique design that allows the AME-Clamp to be utilized in a variety of applications from tubing to hose. Meets working pressure of tubing and hose.