



We put space to work.

## Security Units

### Super Erecta® & MetroMax®

**Safe Storage:** Protects valuable materials and sensitive items from loss or pilferage.

**Microban® Antimicrobial Product Protection\*:** Metroseal Green and MetroMax Q models feature Microban Antimicrobial Product Protection that helps fight the growth of stain and odor-causing bacteria to keep product cleaner between cleanings.

**Ready View of Contents:** Heavy-gauge open wire construction keeps the entire contents of the unit visible at all times, making it easy to check inventory.

**Adjustable, Optional Intermediate Shelves:** Patented, easily adjustable shelf designs — Super Erecta EZ-ADD, Super Adjustable Super Erecta, and MetroMax Q — allow flexibility to meet changing needs. Can be positioned in 1" (25 mm) increments along the entire height of post.

#### Choose from Stationary or Mobile Standard and Heavy-Duty Configurations:

**Safe Transportation:** Mobile, security trucks provide the advantage of quick, protective transportation.

**Easy Cleaning of Storage Areas:** Mobile units move easily from walls to allow thorough cleaning of floors and walls.

**Mobile Units:** Available in Standard and Heavy-Duty models Heavy-Duty units offer increased rigidity and durability for applications such as crossing thresholds.

**Time Saving Assembly:** Metro security units assemble quickly — right out of the box.

**Shipped Knocked-Down:** Saves on freight

#### Door Options

**Hinged Doors:** Each door opens 270 degrees and can be secured along the sides of the unit with a patented 1/4 turn door handle locking system that accommodates a pad lock.

**Sliding Doors:** Each door slides over each other to save aisle space and has a flip lock that accommodates a pad lock. Perfect for use in Top-Track & qwikTRAK applications.

#### Locking


**Standard Pad lock:** Not included




NOTE: Super Erecta and MetroMax options are NSF Listed.




Super Erecta® Chrome  
Mobile Security



MetroMax® Q  
Stationary Security



Super Erecta  
Sliding Door Security



Super Erecta  
Heavy Duty Security  
with a dolly base and optional  
intermediate shelves.



**InterMetro Industries Corporation**  
North Washington Street, Wilkes-Barre, PA 18705  
Product Information. U.S. and Canada: 1.800.992.1776  
Outside U.S. and Canada: www.metro.com/contactus

LO2-245  
Printed in U.S.A. 2/24

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2024 InterMetro Industries Corp.



Security Units Super Erecta® & MetroMax®

14.01



## Super Erecta® Security Units

**Units DO NOT include intermediate shelves.**  
Intermediate shelves must be ordered separately.

### Super Erecta Shelf Stationary Security

#### Hinge Style Doors

Model No. Chrome	Model No. Metroseal Green	Model No. Stainless Steel	Width		Length		Height		Fits Shelf		Approx. Pkd. Wt.	
			in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg
SEC33C	SEC33K3	SEC33S	21 1/2	546	38 1/2	980	66 13/16	1695	18x36	457x914	140	64
SEC35C	SEC35K3	SEC35S	21 1/2	546	50 1/2	1295	66 13/16	1695	18x48	457x1219	159	72
SEC53C	SEC53K3	SEC53S	27 1/4	692	38 1/2	980	66 13/16	1695	24x36	610x914	156	71
SEC55C	SEC55K3	SEC55S	27 1/4	692	50 1/2	1295	66 13/16	1695	24x48	610x1219	176	80
SEC56C	SEC56K3	SEC56S	27 1/4	692	62 1/2	1587	66 13/16	1695	24x60	610x1524	197	90
SEC63C		SEC63S	33 1/2	851	38 1/2	980	66 13/16	1695	30x36	760x914	169	77
SEC65C		SEC65S	33 1/2	851	50 1/2	1295	66 13/16	1695	30x48	760x1219	195	89
SEC66C		SEC66S	33 1/2	851	62 1/2	1587	66 13/16	1695	30x60	760x1524	217	99

#### Sliding Doors

SEC55C-SL	SEC55K3-SL	SEC55S-SL	28 1/2	724	50 1/2	1295	66 13/16	1695	24x48	610x1219	176	80
SEC56C-SL	SEC56K3-SL	SEC56S-SL	28 1/2	724	62 1/2	1587	66 13/16	1695	24x60	610x1524	197	90

### Super Erecta Shelf Mobile Security

**Standard-Duty Stem Caster Models:** feature 5" (127mm) swivel casters. Please note model numbers for specific caster types.

#### Hinge Style Doors

Model No. Chrome with (2) 5MP / (2) 5MPB casters	Model No. Metroseal Green with (2) 5PC / (2) 5PCB Casters	Width		Length		Height		Fits Shelf		Approx. Pkd. Wt.	
		in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg
SEC33EC	SEC33VK3	21 1/2	546	40 3/4	1035	68 1/2	1740	18x36	457x914	148	67
SEC35EC	SEC35VK3	21 1/2	546	52 3/4	1340	68 1/2	1740	18x48	457x1219	167	76
SEC53EC	SEC53VK3	27 1/4	692	40 3/4	1035	68 1/2	1740	24x36	610x914	164	75
SEC55EC	SEC55VK3	27 1/4	692	52 3/4	1340	68 1/2	1740	24x48	610x1219	184	84
SEC56EC	SEC56VK3	27 1/4	692	65	1651	68 1/2	1740	24x60	610x1524	205	93
SEC63EC	-	33 1/2	851	40 3/4	1035	68 1/2	1740	30x36	760x914	177	81
SEC65EC	-	33 1/2	851	52 3/4	1340	68 1/2	1740	30x48	760x1219	204	93
SEC66EC	-	33 1/2	851	65	1651	68 1/2	1740	30x60	760x1524	225	102

#### Sliding Doors

SEC55E-SL	SEC55VK3-SL	28 1/2	724	52 3/4	1340	68 1/2	1740	24x48	610x1219	184	84
SEC56E-SL	SEC56VK3-SL	28 1/2	724	65	1651	68 1/2	1740	24x60	610x1524	205	93

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread.  
5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high-moisture environments.

### Stainless Steel: Casters must be ordered separately on “-SD” models.

#### Hinge Style Doors

Model No.	Description	Width		Length		Height		Fits Shelf		Approx. Pkd. Wt.	
		in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg
SEC33S-SD	Standard Duty	21 1/2	546	40 3/4	1035	62	1575	18x36	457x914	140	64
SEC35S-SD	Standard Duty	21 1/2	546	52 3/4	1340	62	1575	18x48	457x1219	159	72
SEC53S-SD	Standard Duty	27 1/4	692	40 3/4	1035	62	1575	24x36	610x914	156	71
SEC55S-SD	Standard Duty	27 1/4	692	52 3/4	1340	62	1575	24x48	610x1219	176	80
SEC56S-SD	Standard Duty	27 1/4	692	65	1651	62	1575	24x60	610x1524	197	90
SEC63S-SD	Standard Duty	33 1/2	851	40 3/4	1035	62	1575	30x36	760x914	169	77
SEC65S-SD	Standard Duty	33 1/2	851	52 3/4	1340	62	1575	30x48	760x1219	195	89
SEC66S-SD	Standard Duty	33 1/2	851	65	1651	62	1575	30x60	760x1524	217	99

#### Sliding Doors

SEC55S-SD-SL	Standard Duty	28 1/2	724	52 3/4	1340	62	1575	24x48	610x1219	176	80
SEC56S-SD-SL	Standard Duty	28 1/2	724	65	1651	62	1575	24x60	610x1524	197	90

### Heavy-Duty Models (Chrome Finish): feature aluminum dollies with wraparound bumpers and 5" (127mm) diameter casters.

Model No. Chrome	Caster Type	Width		Length		Height		Fits Shelf		Approx. Pkd. Wt.	
		in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg
SEC53LC	(2) B5P/B5PB	28 1/16	713	38 1/2	980	68 1/2	1740	24x36	610x914	189	86
SEC55LC	(2) B5P/B5PB	28 1/16	713	50 1/2	1285	68 1/2	1740	24x48	610x1219	212	96
SEC56LC	(2) B5P/B5PB	28 1/16	713	63 1/8	1600	68 1/2	1740	24x60	610x1524	237	108

NOTE: Given height is for unit without dolly or casters (depending on model chosen). For approximate overall unit height add chosen caster diameter plus 1" (25mm).  
CAUTION: Large casters can create a tipping hazard. On 18" (457mm) security units, do not use casters larger than 5" (127mm) in diameter.

# Security Units – Super Erecta® & MetroMax®

## MetroMax® Q Security Units

- Microban antimicrobial product protection is built into the enclosures, doors, handles, and shelves to keep the product “cleaner between cleanings.”
- Optional intermediate shelves: MetroMax Q quick adjust shelves or corrosion proof MetroMax i.
- Standard Units consist of taupe epoxy coated top and bottom wire shelves, tri-lobal steel posts, wire enclosures, and doors. Casters and bumpers are included with mobile units. Intermediate shelves are sold separately.
- Grid openings: 13/4" x 13/4" (44 x 44mm).

### MetroMax Q Stationary Units — 66 3/16" (1681mm) High

Actual Outside Dimensions (including handle)

#### Hinge Style Doors

Model No.	Width		Length		Fits Shelf		Approx. Pkd. Wt.	
	in.	mm	in.	mm	in.	mm	lbs.	kg
<b>MQSEC53E</b>	26 15/16	685	38 7/8	987	24 x 36	610 x 914	150	68
<b>MQSEC55E</b>	26 15/16	685	50 7/8	1292	24 x 48	610 x 1219	158	72
<b>MQSEC56E</b>	26 15/16	685	62 7/8	1597	24 x 60	610 x 1524	163	74

#### Sliding Doors

<b>MQSEC55E-SL</b>	26 15/16	685	50 7/8	1292	24 x 48	610 x 1219	158	72
<b>MQSEC56E-SL</b>	26 15/16	685	62 7/8	1597	24 x 60	610 x 1524	163	74

Note: Leveling foot on post can be adjusted up to 1" (25mm) to compensate for uneven floors.

### MetroMax Q Stem Caster Mobile Units — 67 13/16" (1723mm) High

#### Hinge Style Doors

Actual Outside Dimensions  
(including bumpers and handle)

Model No. w/ 5" (127mm) diameter casters	Width		Length		Fits Shelf		Approx. Pkd. Wt.	
	in.	mm	in.	mm	in.	mm	lbs.	kg
<b>MQSEC53VE</b>	27 13/16	707	40 3/4	1035	24x36	610x914	168	76
<b>MQSEC55VE</b>	27 13/16	707	52 3/4	1340	24x48	610x1219	178	81
<b>MQSEC56VE</b>	27 13/16	707	64 3/4	1645	24x60	610x1524	181	82

#### Sliding Doors

<b>MQSEC55VE-SL</b>	27 13/16	707	52 3/4	1340	24x48	610x1219	178	81
<b>MQSEC56VE-SL</b>	27 13/16	707	64 3/4	1645	24x60	610x1524	181	82

Note: Caster units use two 5PCX and two PCSX casters.



**MetroMax® Q Security**  
with hinge doors.



**MetroMax® Q Security**  
with sliding doors

### Replacement Tri-Lobal Adapters for MetroMax Q Wire Security Shelves

Model No.  
**MTLA\* - Four pair per bag**

\*Not compatible with MetroMax Q security units manufactured prior to May 2009. For older MetroMax Q security units, use MQ9985 wedges if replacements are needed for the wire shelves.



**Units DO NOT include intermediate shelves.**  
Intermediate shelves must be ordered separately.

## Security Units – Super Erecta® & MetroMax®

We put space to work.

### Intermediate Shelves for Security Units

#### Intermediate Shelves for Super Erecta Shelf Security Units

Width		Length		Chrome	Metroseal Green	Stainless Steel	EZ-ADD Chrome	EZ-ADD Metroseal Green	Super Adjustable Chrome	Super Adjustable Metroseal Green	Super Adjustable Stainless Steel
in.	mm	in.	mm								
18	457	36	914	<b>1836NC</b>	<b>1836NK3</b>	<b>1836NS</b>	<b>EZA-1836NC</b>	<b>EZA-1836NK3</b>	<b>A1836NC</b>	<b>A1836NK3</b>	<b>A1836NS</b>
18	457	48	1219	<b>1848NC</b>	<b>1848NK3</b>	<b>1848NS</b>	<b>EZA-1848NC</b>	<b>EZA-1848NK3</b>	<b>A1848NC</b>	<b>A1848NK3</b>	<b>A1848NS</b>
24	610	36	914	<b>2436NC</b>	<b>2436NK3</b>	<b>2436NS</b>	<b>EZA-2436NC</b>	<b>EZA-2436NK3</b>	<b>A2436NC</b>	<b>A2436NK3</b>	<b>A2436NS</b>
24	610	48	1219	<b>2448NC</b>	<b>2448NK3</b>	<b>2448NS</b>	<b>EZA-2448NC</b>	<b>EZA-2448NK3</b>	<b>A2448NC</b>	<b>A2448NK3</b>	<b>A2448NS</b>
24	610	60	1524	<b>2460NC</b>	<b>2460NK3</b>	<b>2460NS</b>	<b>EZA-2460NC</b>	<b>EZA-2460NK3</b>	<b>A2460NC</b>	<b>A2460NK3</b>	<b>A2460NS</b>
30	760	36	914	<b>3036NC</b>	<b>3036NK3</b>	<b>3036NS</b>	-	-	-	-	-
30	760	48	1219	<b>3048NC</b>	<b>3048NK3</b>	<b>3048NS</b>	-	-	-	-	-

NOTE: Standard Super Erecta shelves can also be used as intermediate shelves. Refer to catalog sheet 10.01 for more information.

#### EZ-ADD Wire Shelves

- EZ-ADD Shelves can be added to any wire security unit without dismantling the unit. Shelves can be easily repositioned for your storage needs.




#### Intermediate Shelves for MetroMax Security Units

Shelf with Grid Mat Model No.	Shelf with Solid Mat Model No.	Shelf with Grid Mat Model No.	Nominal Width		Nominal Length	
			in.	mm	in.	mm
<b>MX2436G</b>	<b>MX2436F</b>	<b>MQ2436G</b>	24	610	36	914
<b>MX2448G</b>	<b>MX2436F</b>	<b>MQ2436G</b>	24	610	48	1219
<b>MX2460G</b>	<b>MX2436F</b>	<b>MQ2436G</b>	24	610	60	1524

**Units DO NOT include intermediate shelves.**  
Intermediate shelves must be ordered separately.

### Sliding Door Retrofit Kits

- Easily convert a hinged door unit to a sliding door unit. Hardware included.
- Door kits recommended for 24" deep units only.
- Kit includes: sliding doors, set of polymer post brackets, top & bottom tracks, upper track cover, side panel clamps, and installation hardware. (Pad lock not included)



#### Super Erecta Sliding Door Retro Fit Kits

Model No.	Finish	Fits Units	Description
<b>SEC55C-SLKIT</b>	Chrome	48" long	SES-Sliding Door-Chrome-48 W Unit
<b>SEC56C-SLKIT</b>	Chrome	60" long	SES-Sliding Door-Chrome-60 W Unit
<b>SEC55K3-SLKIT</b>	Metroseal Green	48" long	SES-Sliding Door-Metroseal 3-48 W Unit
<b>SEC56K3-SLKIT</b>	Metroseal Green	60" long	SES-Sliding Door-Metroseal 3-60 W Unit
<b>SEC55S-SLKIT</b>	Stainless	48" long	SES-Sliding Door-Stainless-48 W Unit
<b>SEC56S-SLKIT</b>	Stainless	60" long	SES-Sliding Door-Stainless-60 W Unit

#### MetroMax Sliding Door Retro Fit Kits

Model No.	Finish	Fits Units	Description
<b>MQSEC55-SLKIT</b>	Taupe Epoxy	48" long unit	MAX-Sliding Door-MetroMaxQ-48 W Unit
<b>MQSEC56-SLKIT</b>	Taupe Epoxy	60" long unit	MAX-Sliding Door-MetroMaxQ-60 W Unit